

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	39050	( (scanner or reader or reading or scanning) with (compris\$5 or made or consist\$5 or perform\$5 or process\$5 or contain\$5 or having or has or embed\$5 or internal\$5) with (imag\$3 near2 (process\$5 or correct\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 15:25
L2	8565	358/505,474,527,516,518,519,461,521,530,448,524,523,498.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 14:34
L3	2415	L1 and L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 14:34
L4	288	L3 and ((imag\$4 adj3 process\$5) with stor\$5 with imag\$5 with (transmi\$6 or receiv\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 14:34
L5	251	L4 and ((scanner or scanning or reader or reading) with (output\$5 or transmi\$6 or send\$3) with imag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 14:34
L6	204	L5 not canon.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 14:35
L7	6	6 and ((detect\$5 or judg\$5 or determin\$6) near5 (first or initial) near2 (sheet or original or page))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 14:39
L8	76	6 and ((detect\$5 or judg\$5 or determin\$6) near5 (sheet or original or page))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 14:42
L9	11	6 and ((detect\$5 or judg\$5 or determin\$6) near5 (sheet or original or page)) and (count\$5 near4 (page or sheet or original))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 14:40
L10	29	6 and ((detect\$5 or judg\$5 or determin\$6) near5 (sheet or original or page)) and (correct\$5 with imag\$5 with (page or sheet or original))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 14:47

L11	23	6 and ((detect\$5 or judg\$5 or determin\$6) near5 imag\$3 near4 (correct\$5 or process\$6)) and (correct\$5 with imag\$5 with (page or sheet or original))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 14:48
L12	238	( (scanner or reader or reading or scanning) with (compris\$5 or consist\$5 or perform\$5 or contain\$5 or having or has) with (imag\$3 near3 (process\$5 or correct\$5))) and ((condition or setting) near3 (scanner or reader or reading or scanning) near4 (transmi\$6 or send\$3 or apply\$6 or input\$5 or receiv\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:35
L13	47	12 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 15:30
L14	24	13 and ((first or second or subsequent) near2 (sheet or original))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:19
L16	5	masao-nozomi.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:19
L17	279	otani-kazuo.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:19
L20	8	( (scanner or reader or reading or scanning) with (compris\$5 or consist\$5 or perform\$5 or contain\$5 or having or has) with (imag\$3 near3 (process\$5 or correct\$5))) and ((condition or setting) near3 (scanner or reader or reading or scanning) near4 (transmi\$6 or send\$3 or apply\$6 or input\$5 or receiv\$5)) and (plural\$5 near3 (sheet or original or page) near6 (feed\$5 or fed))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:39
L21	68	( (scanner or reader or reading or scanning) with (compris\$5 or consist\$5 or perform\$5 or contain\$5 or having or has) with (imag\$3 near3 (process\$5 or correct\$5))) and ((condition or setting) near3 (scanner or reader or reading or scanning)) and (plural\$5 near3 (sheet or original or page) near6 (feed\$5 or fed))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:41

L22	2841	each	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:42
L23	2841	"each"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:42
L24	2841	" each "	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:42
L25	2841	"each "	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:42
L26	5933	each\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:42
L27	0	21 and (correct\$5 with "each")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:43
L28	30	21 and (correct\$5 with (sheet or original))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:49
L29	1	"6757081".pn. and (destination with (memory or stor\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:49
S1	1	"6600548".pn. and (scan adj2 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:20
S2	54	(imag\$5 near3 process\$5) with (correct\$5) with ((first or initial) near2 (page or sheet or original))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:48
S3	20	S2 and (plural\$5 near3 (page or sheet or original))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:51

S4	12	S3 and ((stor\$4 or sav\$3) with (second or subsequent or following or ensuing or next) with (page or sheet or original))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:36
S5	3	S4 and ((scan\$5 or read\$5) with (page or sheet or original) with (feed\$4 or fed or input\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:25
S6	0	"6542260".pn. and (stor\$3 with imag\$5 with (transmi\$5 or sent\$5 or receiv\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:37
S7	0	"6542260".pn. and (stor\$3 with imag\$5 same(transmi\$5 or sent\$5 or receiv\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:37
S8	0	"6542260".pn. and (stor\$3 with imag\$5 same (transmi\$5 or sent\$5 or receiv\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:37
S9	1	"6542260".pn. and (stor\$3 with imag\$5 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:38
S10	1	"6542260".pn. and (plural\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:39
S11	1	"6600548".pn. and (first and (second or subsequent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:39
S12	96	(imag\$5 near3 process\$5) with (stor\$4) with ((second or subsequent or following or ensuing or next) near2 (page or sheet or original) with (scan\$5 or read\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:48
S13	51	S12 and (plural\$5 near3 (page or sheet or original))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 12:44
S16	1396	(stor\$4) with ((second or subsequent or following or ensuing or next) near2 (page or sheet or original) with (scan\$5 or read\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 12:43

S17	382	S16 and ((plural\$5 near3 (page or sheet or original)) with (scan\$5 or read\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 12:44
S18	239	S17 and (process\$5 with (scanner or reader or reading or scanning))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 12:45
S19	55	S17 and (process\$5 with (scanner or reader or reading or scanning) with ((first or initial) near2 (page or sheet or original)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 12:58
S20	7	S19 and ((scanner or reader or reading or scanning) with imag\$3 near3 correct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 12:46
S21	82	S17 and ((correct\$5 or process\$5) with (scanner or reader or reading or scanning) with ((second or subsequent or following or next) near2 (page or sheet or original)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 13:08
S22	3	S21 and (stor\$5 with (condition or setting or option) with correct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 13:00
S23	6	S21 and ((condition or setting or option) with correct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 13:00
S24	3	S21 and (correct\$5 with (second or subsequent or following or next) near2 imag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 13:06
S25	7312	( (scanner or reader or reading or scanning) with (imag\$3 near2 correct\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 13:21
S26	1887	S25 and ((imag\$3 adj3 process\$5) with (imag\$3 near2 correct\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 13:10
S27	172	S26 and (both with (imag\$3 near2 correct\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 13:14

S28	31	S26 and (both with (imag\$3 near2 correct\$5) with (scanner or reader or reading or scanning) with (imag\$3 adj2 process\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 13:17
S29	86	S26 and (select\$5 with (imag\$3 near2 correct\$5) with (scanner or reader or reading or scanning) with (imag\$3 adj2 process\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 13:17
S30	39050	( (scanner or reader or reading or scanning) with (compris\$5 or made or consist\$5 or perform\$5 or process\$5 or contain\$5 or having or has or embed\$5 or internal\$5) with (imag\$3 near2 (process\$5 or correct\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 13:24
S31	8565	358/505,474,527,516,518,519,461,521,530,448,524,523,498.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 13:25
S32	2415	S30 and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 13:25
S33	288	S32 and ((imag\$4 adj3 process\$5) with stor\$5 with imag\$5 with (transmi\$6 or receiv\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 13:26
S34	251	S33 and ((scanner or scanning or reader or reading) with (output\$5 or transmi\$6 or send\$3) with imag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 13:26
S35	47	S34 and canon.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 13:33
S36	204	S34 not canon.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 13:46
S37	1	"5517331".pn. and (send\$3 near4 host)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 13:47

S38	1	"5517331".pn. and (send\$3 with host)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 13:47
-----	---	---------------------------------------	---	----	----	------------------